



BUBBLE BALL LED

DIMMABLE PENDANT

DESIGNED BY GREGORY KAY | ASSEMBLED IN AMERICA

REV 12.01.20



FJ-BBCL27-10FT-12-SN
Clear



FJ-BBAL27-10FT-12-SN
Amber

DESCRIPTION

The Bubble Ball LED from PureEdge Lighting features cool-to-the-touch hand-blown glass which includes one 1.5 watt 2700K LED lamp for general light distribution. The Bubble Ball LED Pendant is offered in a variety of glass colors and finished in Satin Nickel hardware. Dimmable with magnetic or electronic low voltage systems. The Bubble Ball LED Pendant can be used with any PureEdge LED Fast Jack Connections. When used with the Multi-Port Linear or Round Canopy options from PureEdge Lighting, designers can create small to large scale designs. Field-cuttable (10, 20 or 30 ft) coaxial cable and FJ-MCH (male connector heavy-duty) provided.

FINISH



Satin Nickel
SN

MATERIAL

Glass

SYSTEM MOUNTING OPTIONS

Fast Jack, Monorail, MonoPoint, MultiPoint, Linear Suspension, Vanishing Point 12V

LAMP

1.5 Watt, 2700K LED, 80 CRI (equivalent to 10-15 watt halogen)

POWER SUPPLY IN CANOPY

120V input-12VAC output, ELV electric low voltage power supply (FJ, M and M2 fixtures order power supply separately)

OPTICAL ACCESSORIES (SOLD SEPARATELY)

Hexcell Louver, Snoot and Glass Lenses

WEIGHT

5 lb (2.28 kg)

DIMMING

- Dimmable to 1% Percent of Flicker <25%
- Triac and ELV dimming standard. Compatible with Lutron Diva, Skylark and Legrand ELV dimmers

COMPLIANCE LABEL


ETL (Conforms to UL1598 and CSA 22.2 #250.0)

WARRANTY

5 year prorated warranty. See PureEdge.com

| System | Shade | Height | Voltage | Finish |
|--|--|------------------|--------------------|------------------------|
| FJ | BBCL27 | 10FT | 12 | SN |
| FJ Fast Jack | BBAL27 Bubble Ball, Amber LED 2700K | 10FT 10ft | 12 12 Volts | SN Satin Nickel |
| M Monorail | BBCL27 Bubble Ball, Clear LED 2700K | 20FT 20ft | | |
| MP2R Monopoint 2" Round Canopy | | 30FT 30ft | | |
| MP4R Monopoint 4" Round Canopy | | | | |
| 3P12RD 3 Port, 12" Round Canopy | | | | |
| 4P12RD 4 Port, 12" Round Canopy | | | | |
| 5P16RD 5 Port, 16" Round Canopy | | | | |
| 7P16RD 7 Port, 16" Round Canopy | | | | |
| 9P16RD 9 Port, 16" Round Canopy | | | | |
| 17P20RD 17 Port, 20" Round Canopy | | | | |
| 2P12RE 2 Port, 12" Rectangle Canopy | | | | |
| 3P12RE 3 Port, 12" Rectangle Canopy | | | | |

| | | |
|---------|--------------|------|
| PROJECT | FIXTURE TYPE | DATE |
|---------|--------------|------|



New Construction and Remodel 2" Cover for 4" Sq Junction Box

NC2 included with the 2" round canopies. NC2 New Construction Junction Box Cover mounts to a standard 4" electrical box or octagon box, converting it to a 2" plaster ring for a 2" round or square canopy. The RM2-Jbox Remodel Plaster Plate cover is used with the existing 4" square junction box and round plaster ring.

System

NC2

NC2 New Construction 2"
RM2 Remodel Plaster Plate

Type

JBOX

JBOX JBox Cover



- Existing **4sq Jbox** with round plaster ring
- Add **RM2** remodel plate with power supply from **MP2R** fixture
- Plaster and paint ceiling, then add canopy and fixture.



Mono-Point 2" Round Canopy with Piston
1" Stem, 3000K, Polished Nickel
15- (SP), 25- (NF), 35- (FL)
or 45-degree (WF) beam spreads
MP2R-PST-__-1-30K-SN, PN, WH



Piston with Fast Jack
1" Stem, 3000K, Satin Nickel
15- (SP), 25- (NF), 35- (FL)
or 45-degree (WF) beam spreads
FJ-PST-__-1-30K-SN, PN, WH



Monorail (M) or Monorail 2-Circuit (M2) with Piston
1" Stem, 3000K, Satin Nickel
15- (SP), 25- (NF), 35- (FL)
or 45-degree (WF) beam spreads
M/M2-PST-__-1-30K-SN, PN, WH



Mono-Point 4" Round Canopy with Piston.
1" Stem, 3000K, White
15- (SP), 25- (NF), 35- (FL)
or 45-degree (WF) beam spreads
MP4R-PST-__-1-30K-SN, PN, WH



2 Port 4" Round Canopy with Piston
1" Stem, 3000K, Polished Nickel
15- (SP), 25- (NF), 35- (FL)
or 45-degree (WF) beam spreads
2P4R-PST-__-1-30K-SN, PN, WH




2 Port 12" Rectangle Canopy with Piston
1" Stem, 3000K, Satin Nickel (only available finish)
15- (SP), 25- (NF), 35- (FL)
or 45-degree (WF) beam spreads
2P12RE-PST-__-1-30K-SN




3 Port 12" Rectangle Canopy with Piston
1" Stem, 3000K, Satin Nickel (only available finish)
15- (SP), 25- (NF), 35- (FL)
or 45-degree (WF) beam spreads
3P12RE-PST-__-1-30K-SN

| | | |
|---------|--------------|------|
| PROJECT | FIXTURE TYPE | DATE |
|---------|--------------|------|



Canopy Diagrams: Canopy diagrams and measurements for LED Bubble Ball Pendant





FJ-BBCL27





MP2R-PST




MP4R-PST







2P4R-PST



2P12RE-PST



3P12RE-PST



| PROJECT | FIXTURE TYPE | DATE |
|---------|--------------|------|
| | | |