

REV 04.08.24



DESCRIPTION

Pure Smart Disk is a Wi-Fi enabled, 12-inch round ceiling flush mount. The integral, 18-watt Wi-Fi-enabled WiZ Pro Driver offers seamless connectivity and control, bringing convenience and efficiency to installation and setup. The comprehensive suite of features includes CCT selection, custom color mixing, dimming, scene creation, grouping, zoning, scheduling, and personalized circadian rhythm settings. Pure Smart **TruColor™** technology uses five channels of tunable LEDs, composed of RGBTW red, blue, green, and Tunable White (1500K-6500K). With our precision-engineered, proprietary color mixing, we produce one of the widest, most accurate spectrums available, giving our customers access to the warm glow of the sunset (1500K-2400K golden hour) to the pure white light of the midday sun (5700K) and everything in between. TruColor™ LED's achieve an average CRI-Color Rendering Index of 93+ and a Duv of +-.0028 in relation to the blackbody curve at any point on the spectrum of tunable white CCT. Dynamic Color Changing functionality provides millions of possibilities for intricate customization, rich saturated secondary colors, and unprecedented ease of installation, making **RGBTW** the ideal choice for residential and commercial applications. TruColor™ RGBTW adds more than just decorative flexibility; it also helps to support a healthy Circadian Rhythm and well-being. Let TruColor™ transform your space and the people within it. TruColor™ RGBTW is optimized for control with WiZ Pro Wi-Fi based smart Control App.

- Controls Easily control from anywhere with the WiZ app or with the WiZ Pro Dashboard on your computer. At home, experience the convenience of voice control with Alexa or Google Home. Take control to the next level by utilizing the available Pure Smart wall controls.
- Wall Controller On/Off, Dimming, CCT selection, and scene control. Must use Pure Smart CWW-TW-SCENE-WH wall controller or Wall/Table Battery Remote Controller CWR-TW-SCENE-WH (Sold Separately).
- WiZ SpaceSense[™] Wi-Fi sensing technology that detects motion from disruptions in the Wi-Fi signal and triggers the lights to turn on or off when you enter or exit the room.
- Schedule & Automation Customizable schedules, circadian rhythm, vacation mode, energy monitoring, and predictive maintenance.
- Wi-Fi/Bluetooth Easily setup over Wi-Fi or Bluetooth. No hub required.
- Title 24 Compliances Meets Title 24 regulations and standards for efficiency. Suitable for use in California.
- 3rd party log-in and cloud security provide a safe and protected connection. WiZ does not store nor share any personal information.

For custom quotes and layout assistance, send your drawings and ideas to our design team: <u>design@PureEdgeLighting.com</u>.

SPECIFICATIONS

APP	WiZ Mobile App
WI-FI/BLUETOOTH	Easily setup over Wi-Fi or Bluetooth. No hub required. 2.4GHz 802.11b/g/n WPA3 Personal
WATTAGE	18 Watts Average - Up to 20 Watts
INPUT VOLTAGE	120 Volt
FREQUENCY	60 Hz
COLOR TEMPERATURE	RGBTW: Red, Blue, Green, Tunable White from 1500K-6500K
LUMENS	1625 lumens at 3000K
CRI	93+ CRI at 3000K
EFFICACY	84 lumens per watt at 3000K
DUV	-0.0019 average across 2000K-5500K
RF	89 average across 2000K-5500K
RG	101 average across 2000K-5500K
R9	57 average across 2000K-5500K
SCHEDULES & AUTOMATION	Customizable schedules, circadian
	rhythm, vacation mode, energy
	monitoring, and predictive maintenance
LOCATION	Indoor, damp location.
MATERIAL	Polycarbonate
OPTICAL	120 degrees through a frosted lens
L70 LIFESPAN	30,000 Hours
TITLE 24 COMPLIANCE	Meets Title 24 regulations and standards for efficiency. Suitable for use in California
WARRANTY	3 years/30,000 hours

SMART DIMMING & CONTROLS (SOLD SEPARATELY)

• Pure Smart[™] 5 Channel Wi-Fi Controller

• Pure Smart[™] Battery Remote Wi-Fi Controller

Features an ON/OFF buttons, CCT and brightness control rockers, and preset scene selections. Wi-Fi, 2.4 GHz.

APPLICATIONS

Applications, indoor for residential, commercial, retail, and hospitality.

DATE



PROJECT

www.PureEdgeLighting.com | Phone: 773.770.1195 | 1718 W. Fullerton Ave. Chicago, IL 60614 PureEdge Lighting reserves the right to modify this specification without prior notice

FIXTURE TYPE



REV 04.08.24

NOMINAL DELIVERED LUMENS

DESCRIPTION	DISK										
WATTS	18W AVERAGE - UP TO 20W										
COLOR TEMPERATURE	20K	22K	24K	27K	30K	35K	40K	57K	65K		
LUMENS (Im)	768	1449	1512	1575	1626	1676	1900	1129	825		
LUMENS PER WATT (Im/w)	67	73	77	82	85	88	105	73	72		
CRI	95	87	90	93	96	96	94	97	94		
Duv	-0.0006	-0.0003	-0.0021	-0.0028	-0.0032	-0.0015	-0.0003	-0.002	-0.0004		
Rf	88	85	86	88	89	91	90	93	93		
Rg	98	97	100	102	103	102	100	103	103		
R9	47	25	35	44	53	60	50	81	93		
R13	95	87	90	93	96	96	94	97	94		
R15	85	77	81	85	89	91	88	99	95		
WATTS	11.4	19.8	19.6	19.3	19.2	19	18.1	15.4	11.5		

R1-R15 CRI CHART @ 3000K CRI 96+





REV 04.08.24



NETWORK TOPOLOGY



www.PureEdgeLighting.com | Phone: 773.770.1195 | 1718 W. Fullerton Ave. Chicago, IL 60614 PureEdge Lighting reserves the right to modify this specification without prior notice